EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9	1	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:09
S11	9	S7 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 11:24
S36	35	S33 and administrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 15:03
S40	16	\$39 and \$33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 15:05
S45	57	("20020005865" "2002004976" "2002004976" "2002004976" "20020120684" "3748750" "4825045" "4982346" "500853" "5583763" "5583763" "568261" "5583763" "5748191" "5774720" "5781924" "578298" "578191" "5774720" "578298" "5781924" "5882564" "5882564" "5882564" "5882564" "5882566" "5893767" "5893768" "5893768" "5893768" "58932514" "5832564" "5892514" "5892514" "5892514" "5892514" "5892514" "5892564" "5892564" "5892564" "58925661" "5893768" "6012087" "6031549" "6012087" "60324544" "6324544" "63245487" "6366933" "6393437" "6366933" "6393437" "6366933" "6393437" "6366933" "6393437" "6401103" "649622540" "6917950") UPPN	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/07 17:25

S46	25	S42 or S43 or S44	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/07 17:25
S51	68	S39 and S48	USPAT	OR	ON	2006/04/07 17:30
S52	3	S39 and S49	USPAT	OR	ON	2006/04/07 17:27
S53	18	(US-20040199430-\$ or US-20030145281-\$), did. or (US-636301-\$ or US-6314410-\$ or US-6390962-\$ or US-6873957-\$ or US-634298-\$ or US-6671715-\$ or US-6679525-\$ or US-5790790-\$ or US-6750750-\$ or US-6754647-\$ or US-67331-\$ or US-6734647-\$ or US-673511-\$ or US-675568-\$ or US-6754647-\$ or US-673618-\$ or US-6754647-\$ or US-67368-\$ or US-6754647-\$ or US-675568-\$ or US-6754647-\$ or US-675468-\$ or US-6754647-\$ or US-675468-\$ or US-675468-\$ or US-6754647-\$ or US-675468-\$ or US-6	US-PGPUB; USPAT	OR	ON	2006/04/11 16:07
S69	17	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 16:24
S74	25	S70 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 16:38
S80	3	S74 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 17:15
S81	1	(US-20010054096-\$).did.	US-PGPUB	OR	ON	2006/04/12 11:22
S82	1	S81 and (user or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:37
S83	1	S31 and ((sav\$3 or stor\$4) same (template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:06
S84	1	S81 and ((sav\$3 or stor\$4) same (rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/04/12 11:55

S85	1	S81 and (edit\$4 with administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:57
S86	1	S81 and (modif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:59
S87	1	(US-20030163783-\$).did.	US-PGPUB	OR	ON	2006/04/12 12:05
S88	1	S87 and ((sav\$3 or stor\$4) same (template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:52
S90	25	(US-20040199430-\$ or US-20030145281-\$ or US-20040181753-\$ or US-20040181453-\$ or US-200400181453-\$ or US-2004009373-\$ or US-2004009373-\$ or US-20030163783-\$ or US-20010054096-\$), did. or (US-6873957-\$ or US-6834298-\$ or US-6754647-\$ or US-66754647-\$ or US-66751755-\$ or US-6529904-\$ or US-6519763-\$ or US-6615111-\$ or US-6529904-\$ or US-6519763-\$ or US-653339-\$ or US-6314410-\$ or US-6779790-\$), did. or (US-20040148201-\$), did.	US-PGPUB; USPAT; DEFWENT	OA	ON	2006/04/12 12:51
S91	1	\$89 and \$90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:52
S97	96	995 and 996	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:57
S102	3	S99 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/04/12 12:59

S109	1	\$37 and (need\$3 or requir \$3 or information or details or input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:53
S110	16172	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:32
S111	576	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:32
S112	59	S110 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:39
S113	23025	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:40
S114	16219	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:40
S115	577	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:40
S116	59	S114 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:40
S117	0	S113 and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13
S118	40	funnel and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13
S119	559	S114 and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:16

S120	42	S119 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:21
S121	8	S120 and (admin or administrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:22
S122	18	S120 and (programmer or developer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:22
S123	1	(US-5907837-\$).did.	USPAT	OR	ON	2006/04/13 13:44
S124	1	S123 and (form or template or administrat\$4 or tag\$3 or field or user)	USPAT	OR	ON	2006/04/13 13:46
S125	1	S123 and (form or template or administrat\$4 or tag\$3 or field or user or code or embed\$4 or instruction)	USPAT	OR	ON	2006/04/13 18:35
S126	17	rules with template with script	USPAT	OR	ON	2006/04/13 17:45
S127	1	\$123 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or retriev \$4)	USPAT	OR	ON	2006/04/13 15:18
S128	1	S123 and (subquer\$3)	USPAT	OR	ON	2006/04/13 15:03
S129	1	S123 and logic\$4	USPAT	OR	ON	2006/04/13 15:03
S130	1	\$123 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or find\$4)	USPAT	OR	ON	2006/04/13 16:14
S131	1	S123 and (code)	USPAT	OR	ON	2006/04/13 15:29
S132	1	S123 and tag\$4	USPAT	OR	ON	2006/04/13 15:44
S133	0	S123 and all	USPAT	OR	ON	2006/04/13 15:44
S134	0	S123 and "all"	USPAT	OR	ON	2006/04/13 16:12
S135	0	"all of the rules"	USPAT	OR	ON	2006/04/13 16:12
S136	32556	all	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:13

S137	117	S136 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:14
S138	15	S136 with rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:14
S139	0	S137 same (acquir\$4 or obtain\$3 or get\$3 or retriev \$4)	USPAT	OR	ON	2006/04/13 16:15
S140	1	S123 and (where or location)	USPAT	OR	ON	2006/04/13 17:46
S141	1	S123 and (retriev\$4 same (signif\$4 or tag\$3 or field or user or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2006/04/13 18:42
S142	1	S123 and (retriev\$4 same (signif\$4 or tag\$3 or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2006/04/13 18:42
S143	2	"20010054096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 12:20
S144	0	S143 and signifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:10
S145	2	"20010054096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 12:20
S146	1	S145 and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 12:21
S147	1	"5907837".pn. and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:15
S148	559	(object\$1oriented (object adj oriented)) and (natural with language with (processing system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/10/04 14:16

S149	511	706/47,943.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:17
S150	27	S148 and S149	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:17
S151	27	S150 and (@ad<"20031110" @pd<"20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:17
S152	53286	"S7" and "S8"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:33
S153	36306	"S7" and "S10"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S154	645	"S33" and administrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S1 55	8281	"S39" and "S33"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S156	57	("2002005865" "20020049786" "20020049786" "20020049786" "2002001706 "20020120648" "4825045" "4982346" "5008853" "5317688" "5587454" "5429361" "5587454" "55262469" "5721827" "5726688" "5721827" "5726688" "5728950" "5732232" "5748191" "5774720" "5790789" "5799288" "5819243" "5832189" "5819243" "5832514" "5832768" "5832514" "5832768" "5832514" "583768" "5892505" "5892536" "589075" "5892536" "593075" "5893119" "5930848"	US-PGPUB; USPAT; USOCR	ÓA .	ON	2006/10/04 14:34

		"5995119" "6012087" "6031549" "6088731" "6282175" "6314410" "6324544" "6324587" "6346933" "6393437" "640102" "6440622" "6535215") .PN. OR ("6886540" "6917950"). UHRN.		***************************************	***************************************	
S157	24510	"S42" or "S43" or "S44"	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/04 14:34
S158	1421	"S39" and "S49"	USPAT	OR	ON	2006/10/04 14:34
S159	1478	"S39" and "S48"	USPAT	OR	ON	2006/10/04 14:34
S1 60		(US-20040199430-\$ or US-20030145281-\$), did. or (US-6363301-\$ or US-6314410-\$ or US-639050-\$ or US-634298-\$ or US-667471715-\$ or US-6671715-\$ or US-6671715-\$ or US-6519763-\$ or US-6673339-\$ or US-5862325-\$ or US-5790790-\$ or US-6671511-\$ or US-6529904-\$ or US-6754647-\$ or US-675658-\$), did.	US-PGPUB; USPAT	OR	ON	2006/10/04 14:34
S161	0	S160 and "S54"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S162	3018	"S70" and "S73"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S163	1543	S162 and "S77"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S164	1	(US-20010054096-\$).did.	US-PGPUB	OR	ON	2006/10/04 14:34
S165	1	S164 and (user or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S166	1	S164 and ((sav\$3 or stor\$4) same (template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34

S167	1	\$164 and ((sav\$3 or stor\$4) same (rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S168	1	S164 and (edit\$4 with administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S169	1	S164 and (modif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S170	1	(US-20030163783-\$).did.	US-PGPUB	OR	ON	2006/10/04 14:34
S171	1	S170 and ((sav\$3 or stor\$4) same (template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S172	24	(US-20040199430-\$ or US-20030145281-\$ or US-20040181753-\$ or US-20040181453-\$ or US-200400181453-\$ or US-2004009371-\$ or US-2004009373-\$ or US-20030163783-\$ or US-20030163783-\$ or US-6873957-\$ or US-683429-\$ or US-6975658-\$ or US-675658-\$ or US-675658-\$ or US-67565301-\$ or US-6615111-\$ or US-652904-\$ or US-675659-\$ or US-675659-\$ or US-675659-\$ or US-675659-\$ or US-675052-\$ or US-6750519763-\$ or US-6870552-\$ or US-5862325-\$ or US-5790790-\$ or US-5870552-\$ or US-5790790-\$ or	US-PGPUB; USPAT; DEFIMENT	OA	ON	2006/10/04
S173	0	"S89" and S172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S174	2890	"S95" and "S96"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/10/04 14:34

S175	1603	"S99" and "S92"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S176	1	S170 and (need\$3 or requir \$3 or information or details or input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S177	18287	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S178	651	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S1 79	67	S177 and S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S180	28184	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S181	18287	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S182	651	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S183	67	S181 and S182	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S184	0	S180 and S183	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S185	43	funnel and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34

S186	747	S181 and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S187	54	S186 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S188	24	S187 and (programmer or developer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S189	11	S187 and (admin or administrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S190	1	(US-5907837-\$).did.	USPAT	OR	ON	2006/10/04 14:34
S191	1	S190 and (form or template or administrat\$4 or tag\$3 or field or user)	USPAT	OR	ON	2006/10/04 14:34
S192	1	S190 and (form or template or administrat\$4 or tag\$3 or field or user or code or embed\$4 or instruction)	USPAT	OR	ON	2006/10/04 14:34
S193	21	rules with template with script	USPAT	OR	ON	2006/10/04 14:34
S194	1	S190 and (subquer\$3)	USPAT	OR	ON	2006/10/04 14:34
S195	1	S190 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or retriev \$4)	USPAT	OR	ON	2006/10/04 14:34
S196	1	S190 and logic\$4	USPAT	OR	ON	2006/10/04 14:34
S197	1	S190 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or find\$4)	USPAT	OR	ON	2006/10/04 14:34
S198	1	S190 and (code)	USPAT	OR	ON	2006/10/04 14:34
S199	0	S190 and all	USPAT	OR	ON	2006/10/04 14:34
S200	1	S190 and tag\$4	USPAT	OR	ON	2006/10/04 14:34
S201	1	S190 and (where or location)	USPAT	OR	ON	2006/10/04 14:34
S202	0	S190 and "all"	USPAT	OR	ON	2006/10/04 14:34

S203	0	"all of the rules"	USPAT	OR	ON	2006/10/04 14:34
S204	32662	all	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S205	117	S204 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S206	15	\$204 with rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S207	0	S205 same (acquir\$4 or obtain\$3 or get\$3 or retriev \$4)	USPAT	OR	ON	2006/10/04 14:34
S208	1	S190 and (retriev\$4 same (signif\$4 or tag\$3 or field or user or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2006/10/04 14:34
S209	1	S190 and (retriev\$4 same (signif\$4 or tag\$3 or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2006/10/04 14:34
S210	2	"20010054096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S211	0	S145 and signifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:34
S212	331532	@ad< "20031110" and @pd> "20060414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:48
S213	154	\$145 \$146 \$147 \$150 \$151 \$160 \$164 \$165 \$166 \$167 \$168 \$169 \$170 \$171 \$172 \$176 \$185 \$188 \$189 \$190 \$191 \$192 \$193 \$194 \$195 \$196 \$197 \$198 \$200 \$201 \$206 \$208 \$209 \$210	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:49
S214	12	\$212 and \$213	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 14:49

S215	10	conversive.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 18:50
S216	4	template same administrator same natural	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 18:47
S218	11639	natural adj language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 18:47
S219	0	S215 and S216	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 18:50
S220	18	[("6366300") or ("20030220890") or ("20030220890") or ("5963940") or ("5963940") or ("20020178009") or ("20030028573") or ("20030069880") or ("6363321") or ("6363321") or ("6785658") or ("6775658") or ("6775658") or ("6775658") or ("6775658") or ("67040199430") or ("670404099731") or ("620404099731") or ("620404099731") or ("6173311") or ("6579582"). PN.	us Popub; Uspat	OR	OFF	2008/02/05
S221	3968518	tag code signifier identifier embedded instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:30
S222	293240	robots bots	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:30
S223	921134	conversation\$5 dialo\$6 query \$4 queri\$4 request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:31
S224	18	S220 and S221	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:32

S225	72835	(logic response) with layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:32
S226	4668	S225 same S221	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:33
S227	1	S220 and S226	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:33
S228	13	((logic response layer) same \$221) and \$220	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:34
S229	12816	S221 same S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:34
S230	30	S226 and S229	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:35
S231	362404	(template form) with fill\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:42
S232	2235	\$222 with \$223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:43
S233	9	S226 and S232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:44
S234	23	S231 same S226	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:44
S235	31	\$233 \$234	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 17:44

S236	68	("20020005865"	US-PGPUB;	OR	ON	2008/11/10
		"20020049786" "200200049786" "200200120648" "3748750" "4022045" "5317688" "5008853" "5317688" "5583763" "55301761" "5583763" "55301761" "5583763" "55301761" "57748191" "5774720" "5790789" "5792232" "5748191" "5774720" "5790789" "5792281" "5781924" "5732231" "5781924" "5832514" "5832564" "5832514" "5832568" "5890756" "5867226" "5890256" "58953761" "5890367" "58953761" "59268616" "59951191" "6012067" "6031549" "6012067" "6031549" "60324567" "60324544" "6324567" "6324544" "6324567" "634977" "63324517 "6352515] "8039437" "6401103" "6449622" "65825251" "6917950").	ÜSPAT; ÜSOCR			14.59
\$237	12	(US-20040199430-\$ or US-20030145281-\$; Judi. or (US-6363301-\$ or US-6314410-\$ or US-63944410-\$ or US-639962-\$ or US-6673957-\$ or US-6673957-\$ or US-6673957-\$ or US-6673952-\$ or US-6790790-\$ or US-6790790-\$ or US-6754647-\$ or US-6754647-\$ or US-675468-\$ or US-6754647-\$ or US-6775658-\$ or US-6754647-\$ or US-677568-\$ o	US-PGPUB; USPAT	OR	ON	2008/11/10 14:59
3238	1	(US-20010054096-\$).did.	US-PGPUB	OR	ON	2008/11/10 14:59
S239	1	\$238 and (user or client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
3240	1	S238 and ((sav\$3 or stor\$4) same (template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/11/10 14:59

S241	1	\$238 and ((sav\$3 or stor\$4) same (rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S242	1	S238 and (edit\$4 with administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S243	1	S238 and (modif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S244	14	[US_20040199430-\$ or US_20030145281.\$ or US_20040181753-\$ or US_20040181753-\$ or US_200400181453-\$ or US_20040093731-\$ or US_20040093731-\$ or US_20030163783-\$ or US_20030163783-\$ or US_6873957-\$ or US_6834298-\$ or US_675658-\$ or US_6754647-\$ or US_6830301-\$ or US_6874647-\$ or US_683031-\$ or US_6615111-\$ or US_6519763-\$ or US_6615111-\$ or US_6314410-\$ or US_6173311-\$ or US_632994-\$ or US_673552-\$ or US_65397979-\$ or US_6730552-\$ or US_679079-\$ or US_6790552-\$ or US_679079-\$ or US_679059-\$ or US_67	US-PGPUB; USPAT; DEFIWENT	OR	ON	2008/11/10
S245	2086	"S99" and "S92"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S246	30043	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S247	971	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S248	108	S246 and S247	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59

S249	47894	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S250	30043	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S251	971	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S252	108	S250 and S251	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S253	4	S249 and S252	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S254	68	funnel and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S255	1743	S250 and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S256	126	S255 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S257	21	S256 and (admin or administrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S258	44	S256 and (programmer or developer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S259	1	(US-5907837-\$).did.	USPAT	OR	ON	2008/11/10 14:59
S260	1	S259 and (form or template or administrat\$4 or tag\$3 or field or user)	USPAT	OR	ON	2008/11/10 14:59

S261	1	\$259 and (form or template or administrat\$4 or tag\$3 or field or user or code or embed\$4 or instruction)	USPAT	OR	ON	2008/11/10 14:59
S262	29	rules with template with script	USPAT	OR	ON	2008/11/10 14:59
S263	1	\$259 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or retriev \$4)	USPAT	OR	ON	2008/11/10 14:59
S264	1	S259 and (subquer\$3)	USPAT	OR	ON	2008/11/10 14:59
S265	1	S259 and logic\$4	USPAT	OR	ON	2008/11/10 14:59
S266	1	\$259 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or find\$4)	USPAT	OR	ON	2008/11/10 14:59
S267	1	S259 and (code)	USPAT	OR	ON	2008/11/10 14:59
S268	1	S259 and tag\$4	USPAT	OR	ON	2008/11/10 14:59
S269	32988	all	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S270	117	S269 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S271	15	S269 with rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S272	1	S259 and (where or location)	USPAT	OR	ON	2008/11/10 14:59
S273	1	\$259 and (retriev\$4 same (signif\$4 or tag\$3 or field or user or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2008/11/10 14:59
S274	1	\$259 and (retriev\$4 same (signif\$4 or tag\$3 or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2008/11/10 14:59
S275	2	"20010054096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/11/10 14:59

S276	2	"20010054096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S277	1	S276 and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10
S278	1	"5907837".pn. and object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S279	874	(object\$1 oriented (object adj oriented)) and (natural with language with (processing system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S280	779	706/47,943.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S281	32	S279 and S280	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S282	31	\$281 and (@ad<"20031110" @pd<"20031110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
\$283	68	("20020005865" "20020049786" "20020049786" "200200120648" "3748750" "20020120648" "4982346" "500853" "5317688" "5367454" "5429361" "5583763" "5630017" "55721827" "5726688" "5721827" "5724232" "5749191" "5774720" "5790789" "5792232" "5819243" "5792298" "5819243" "5832514" "5835768" "584923 "5867226" "584923 "5867226" "5893075" "5892366" "5930075" "5893119" "59928836" "5892361" "5930848"	US-PGPUB; USPAT; USOCR	OR .	ON	2008/11/10

		"599519" "601208" "6031549" "6088731" "6282175" "638431" "6324544" "632458" "634937" "6363301" "636933" "6393437" "6401103" "6449622" "6352515"), PN, OR ("6826540" "6917950"), URPN,		***************************************	***************************************	
S284	12	[US 20040199430.\$ or US 20030145281.\$), did, or (US 6313415.281.\$) or US-6314410.\$ or US-6980962.\$ or US-683957.\$ or US-6834298.\$ or US-6873957.\$ or US-687957.\$ or US-6870552.\$ or US-5870552.\$ or US-5870790.\$ or US-6815111.\$ or US-6529904.\$ or US-6754647.\$ or US-6754687.\$ or US-6754687.\$ or US-6775658.\$), did.	US-PGPUB; USPAT	OA	ON	2008/11/10 14:59
\$285	1	(US-20010054096-\$).did.	US-PGPUB	OR	ON	2008/11/10 14:59
S286	1	\$285 and (user or dient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S287	1	\$285 and ((sav\$3 or stor\$4) same (template))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S288	1	\$285 and ((sav\$3 or stor\$4) same (rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S289	1	S285 and (edit\$4 with administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S290	1	\$285 and (modif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
5291	0	(US-20030163783-\$).did.	US-PGPUB	OR	ON	2008/11/10 14:59

S292	0	S291 and ((sav\$3 or stor\$4) same (template))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S293	14	(US-20040199430-\$ or US-20030145281-\$ or US-20040181753-\$ or US-20040181753-\$ or US-200400181453-\$ or US-20040003268-\$ or US-20030163783-\$ or US-20030163783-\$ or US-20030163783-\$ or US-6834298-\$ or US-6875658-\$ or US-675658-\$ or US-675658-\$ or US-6754647-\$ or US-6853031-\$ or US-6615111-\$ or US-652990-4 or US-6873978-\$ or US-6750552-\$ or US-6314410-\$ or US-6317331-\$ or US-633339-\$ or US-6314410-\$ or US-6379079-\$ or US-6314410-\$ or US-5790790-\$	US POPUB; USPAT; DEFWENT	OR	ON	2008/11/10 14:59
3294	2086	"S99" and "S92"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S295	0	\$291 and (need\$3 or requir \$3 or information or details or input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S296	30043	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S297	971	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S2 98	108	S296 and S297	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S299	47894	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59

S300	30043	search adj engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S301	971	funnel and microsoft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S302	108	S300 and S301	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S303	4	\$299 and \$302	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S304	68	funnel and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S305	1743	S300 and microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S306	126	S305 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S307	44	S306 and (programmer or developer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S308	21	\$306 and (admin or administrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S309	1	(US-5907837-\$).did.	USPAT	OR	ON	2008/11/10 14:59
S310	1	S309 and (form or template or administrat\$4 or tag\$3 or field or user)	USPAT	OR	ON	2008/11/10 14:59
S311	1	S309 and (form or template or administrat\$4 or tag\$3 or field or user or code or embed\$4 or instruction)	USPAT	OR	ON	2008/11/10 14:59

S312	29	rules with template with script	USPAT	OR	ON	2008/11/10 14:59
S313	1	S309 and (subquer\$3)	USPAT	OR	ON	2008/11/10 14:59
S314	1	\$309 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or retriev \$4)	USPAT	OR	ON	2008/11/10 14:59
S315	1	S309 and logic\$4	USPAT	OR	ON	2008/11/10 14:59
S316	1	\$309 and (need\$4 or requir \$4 or lack\$4 or acquir\$4 or obtain\$3 or get\$3 or find\$4)	USPAT	OR	ON	2008/11/10 14:59
S317	1	S309 and (code)	USPAT	OR	ON	2008/11/10 14:59
S318	1	S309 and tag\$4	USPAT	OR	ON	2008/11/10 14:59
S319	1	S309 and (where or location)	USPAT	OR	ON	2008/11/10 14:59
S320	32988	all	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S321	117	S320 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S322	15	S320 with rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S323	1	\$309 and (retriev\$4 same (signif\$4 or tag\$3 or field or user or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2008/11/10 14:59
S324	1	S309 and (retriev\$4 same (signif\$4 or tag\$3 or code or embed\$4 or instruct\$4))	USPAT	OR	ON	2008/11/10 14:59
S325	2	"20010054096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S326	1023748	@ad<"20031110" and @pd>"20060414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59

S327	205	\$276 \$277 \$278 \$281 \$282 \$284 \$285 \$286 \$287 \$288 \$290 \$291 \$292 \$293 \$295 \$304 \$307 \$308 \$309 \$310 \$311 \$312 \$313 \$314 \$315 \$315 \$315 \$317 \$318 \$319 \$322 \$323 \$324 \$325	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S328	30	S326 and S327	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S329	10	conversive.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S330	6	template same administrator same natural	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S331	14802	natural adj language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
\$332	18	(("2686300") or ("20030220890") or ("20030220890") or ("5963840") or ("20020178008") or ("2003023673") or ("20030069880") or ("3633301") or ("6363301") or ("6775658") or ("20040181753") or ("6776568") or ("67040409731") or ("67040409731") or ("67040409731") or ("670529731") or ("67575552"). PN.	US-PGPUB; USPAT	OR	OFF	2008/11/10 14:59
S333	4230351	tag code signifier identifier embedded instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S334	306027	robots bots	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59

S335	1025526	conversation\$5 dialo\$6 query \$4 queri\$4 request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S336	18	S332 and S333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S337	79469	(logic response) with layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S338	5423	\$337 same \$333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S339	1	S332 and S338	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S340	13	((logic response layer) same \$333) and \$332	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S341	13813	\$333 same \$334	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S342	37	S338 and S341	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S343	380148	(template form) with fill\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S344	2526	S334 with S335	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S345	13	S338 and S344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59

S346	26	S343 same S338	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S347	36	S345 S346	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 14:59
S348	135	(\$247 \$252 \$253 \$258 \$270 \$276 \$281 \$302 \$303 \$307 \$321 \$322 \$332 \$327 \$340 \$345 \$346 \$348 \$238 \$299 \$277 \$278 \$285 \$309 \$236 \$237 \$244 \$254 \$257 \$862 \$271 \$275 \$282 \$283 \$344 \$293 \$304 \$308 \$312 \$322 \$325 \$328 \$330 \$336 \$342 \$347 \$248 \$255 \$288 \$306) and (\$264 \$2056 \$208 \$301 \$308 \$342 \$347 \$248 \$256 \$298 \$3006) and (\$264 \$2056 \$208 \$3006) and (\$264 \$208 \$208 \$3006) and (\$264 \$300	USPAT; USOCR; FPRS; EPO;	OR	ON	2008/11/10 15:15
S349	96	S348 and (template signifier tag logic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 15:16

^{11/10/2008 3:23:40} PM

C:\ Documents and Settings\ bbuss\ My Documents\ EAST\ Workspaces\ 10705208.wsp